

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|------------------|---------|---------------------|
| S174 | 8 | "341"/\$.ccls. and S166 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 12:01 |
| S173 | 7 | "711"/100-200.ccls. and S166 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 12:01 |
| S172 | 5 | "710"/100,303,107,36,.ccls. and S166 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 12:01 |
| S171 | 14 | "726"/34-36,22-27.ccls. and S166 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 12:01 |
| S170 | 30 | "713"/166,167,168,300-400,500-600.ccls. and S166 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 12:01 |
| S169 | 3 | "726"/34-36.ccls. and S166 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 12:00 |
| S167 | 9 | "726"/34-36.ccls. and (((cycle bus link communication Channel) near2 (trust\$3 secure authoriz\$4)) with (indicator flag address pointer index bit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 12:00 |
| S166 | 841 | ((trust secure authoriz\$3 authenticat\$3 validat\$3 verificat\$3) adj1 (cycle bus communication channel packet datagram message) with (flag indicator bits)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 12:00 |
| S165 | 177 | S164 and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) with (cycle bus link communication Channel)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 11:38 |

| | | | | | | |
|------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S164 | 419 | ((trust secure authoriz\$3 authenticat\$3 validat\$3 verificat\$3) adj1 (flag indicator bits) with (cycle bus communication channel packet datagram message)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 11:37 |
| S162 | 66 | ((predefin\$3 predetermin\$3 pre\$defin\$3 pre\$determin\$3) with (trust secure) adj1 (flag indicator bits information data) with (cycle bus communication channel packet datagram message)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 11:34 |
| S161 | 3821 | ((trust secure) adj1 (flag indicator bits information data) with (cycle bus communication channel packet datagram message)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 11:34 |
| S160 | 65 | ((trust secure) adj1 (flag indicator bits) with (cycle bus communication channel packet datagram)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 11:09 |
| S158 | 29 | ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near4 (cycle bus link communication Channel) near1 (trust\$3 secur\$2 authoriz\$4)) with (indicator flag address pointer index bit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 10:48 |
| S157 | 1037 | ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) near4 (cycle bus link communication Channel) near1 (trust\$3 secur\$2 authoriz\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 10:47 |
| S156 | 249 | ((cycle bus link communication Channel) near1 (trust\$3 secur\$3 authoriz\$4)) with (indicator flag)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 10:27 |
| S152 | 27 | ((("trusted data cycle" ((trusted secur\$3) adj1 (cycle bus))) with (indicator flag bit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 10:22 |
| S151 | 15 | "726"/34-36,22-27.ccls. and ((prevent\$3 block\$3 deni\$3 protect\$3) with (untrust\$3 unsecur\$3 unauthoriz\$3 trust\$3 secur\$3) with (communication link bus cycle)) and (dock\$ adj (station connection connector interface logic)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 10:06 |
| S150 | 85 | "713"/166,167,168,300-400,500-600.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) with (cycle bus link communication Channel) near2 (trust\$3 secure unauthoriz\$3 authoriz\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 10:06 |

| | | | | | | |
|------|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|---------------------|
| S149 | 91 | "713"/166,167,168,300-400,500-600.ccls. and (((cycle bus link communication Channel) near2 (trust\$3 secure authoriz\$4)) with (indicator flag address pointer index bit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 10:06 |
| S148 | 1 | "726"/34-36.ccls. and "710"/100,303,107,36,.ccls. and (((cycle bus link communication Channel) near2 (trust\$3 secure authoriz\$4)) with (indicator flag address pointer index bit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 10:05 |
| S147 | 2 | "711"/100-200.ccls. and "710"/100,303,107,36,.ccls. and (((cycle bus link communication Channel) near2 (trust\$3 secure authoriz\$4)) with (indicator flag address pointer index bit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 10:05 |
| S146 | 12 | "710"/100,303,107,36,.ccls. and (((cycle bus link communication Channel) near2 (trust\$3 secure authoriz\$4)) with (indicator flag address pointer index bit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 10:05 |
| S145 | 3 | ((("trusted data cycle" (trusted adj1 cycle)) with (indicator flag address pointer index bit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 10:04 |
| S144 | 4 | "710"/100,303,107,36,.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) with (cycle bus link communication Channel) near2 (trust\$3 secure unauthoriz\$3 authoriz\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 10:04 |
| S143 | 20 | "711"/100-200.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) with (cycle bus link communication Channel) near2 (trust\$3 secure unauthoriz\$3 authoriz\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 10:03 |
| S142 | 8 | "726"/34-36.ccls. and ((detect\$3 monitor\$3 scan\$4 inspect\$3 examin\$4) with (cycle bus link communication Channel) near2 (trust\$3 secure unauthoriz\$3 authoriz\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/27 10:03 |

EAST Search History (Interference)

<This search history is empty>

10/29/2009 11:31:38 AM
**C:\Documents and Settings\npatel5\My Documents\EAST\Workspaces\FY_07
 \Workspace_655_Kent_10643678.wsp**